



Certificate of Analysis

Compliance Test

Client Information:

MEDICI FLAVS LLC
12052 CENTRAL AVE. NE
BLAINE, MN 55434
Order # MED240202-010322
Order Date: 2025-11-02
Sample # AAFG847

Batch # 133
Batch Date: 2025-11-02
Extracted From: Hemp
End Date: 2026-11-02
Sampling Date: 2025-11-06
Lab Batch Date: 2025-11-06
Completion Date: 2025-11-12

Test Reg State: Florida

Production Facility: Medici Flavs LLC

Volume: 355 ml



Product Image

Potency 10 - (LCMS)

Specimen Weight: 350000.000 mg


Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (µg/ml)	
Delta-9 THC	8.000	2.98E-5	7.5E-5	19.690	0.001967
CBC	8.000	1.94E-6	7.5E-5	<LOQ	<LOQ
CBD	8.000	3.37E-7	7.5E-5	<LOQ	<LOQ
CBDA	8.000	7.78E-8	7.5E-5	<LOQ	<LOQ
CBDV	8.000	9.80E-8	7.5E-5	<LOQ	<LOQ
CBG	8.000	4.00E-7	7.5E-5	<LOQ	<LOQ
CBGA	8.000	4.71E-8	7.5E-5	<LOQ	<LOQ
CBN	8.000	1.25E-6	7.5E-5	<LOQ	<LOQ
THCA-A	8.000	1.51E-7	7.5E-5	<LOQ	<LOQ
THCV	8.000	1.24E-6	7.5E-5	<LOQ	<LOQ
Total Active CBD	8.000			<LOQ	<LOQ
Total Active THC	8.000			19.690	0.001967

Tested

SOP13.030 (LCMS)

Potency Summary

Total Active THC 0.001969% 9.67mg	Total Active CBD ND
Total CBG ND	Total CBN ND
Other Cannabinoids ND	Total Cannabinoids 0.001969% 9.67mg


Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling. This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.