



Certificate of Analysis

Compliance Test

Client Information:

MEDICI FLAVS LLC
12052 CENTRAL AVE NE
BLAINE, MN 55434

Batch # 129
Batch Date: 2025-02-02
Extracted From: Hemp

Test Reg State: Florida

Production Facility: Medici Flavs LLC

Order # MED240202-010310
Order Date: 2025-02-02
Sample# AAFG652

Sampling Date: 2025-02-06
Lab Batch Date: 2025-02-06
Completion Date: 2025-02-09

Volume: 354 ml



**Potency
Tested**

Product Image

Potency 10 - (LCMS)

Specimen Weight: 340000.000 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (µg/ml)	
Delta-9 THC	8.000	2.98E-5	7.5E-5	32.400	0.00324
CBN	8.000	1.25E-6	7.5E-5	0.684	6.8E-5
CBC	8.000	1.94E-6	7.5E-5	<LOQ	<LOQ
CBD	8.000	3.37E-7	7.5E-5	<LOQ	<LOQ
CBDA	8.000	7.78E-8	7.5E-5	<LOQ	<LOQ
CBDV	8.000	9.80E-8	7.5E-5	<LOQ	<LOQ
CBG	8.000	4.00E-7	7.5E-5	<LOQ	<LOQ
CBGA	8.000	4.71E-8	7.5E-5	<LOQ	<LOQ
THCA-A	8.000	1.51E-7	7.5E-5	<LOQ	<LOQ
THCV	8.000	1.24E-6	7.5E-5	<LOQ	<LOQ
Total Active CBD	8.000			<LOQ	<LOQ
Total Active THC	8.000			32.400	0.00324

Tested

SOP13.030 (LCMS)



Potency Summary

Total Active THC 0.00324%	Total Active CBD 9.824mg ND
Total CBG -	Total CBN 6.8E-5% 0.242mg
Other Cannabinoids -	Total Cannabinoids 0.003408% 10.0656mg

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta8-THC + Delta9-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP, (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling. This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.