



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30627009-004 Batch#: 131

Batch Date: 11/21/25

Sample Size Received: 354 ml

Total Amount: 354 ml

Retail Product Size: 354 gram Sample

Density: 1.0 g/mL

Ordered: 11/19/25

Sampled: 11/19/25

Completed: 11/22/25

Sampling Method: SOP.T.20.010.FL

Nov 22, 2025 | Medici Flavs LLC

12052 Central Avenue NE
Blaine, MN, 55434, US

PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filth
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

Total THC/Container : 9.97 mg



Total CBD

ND

Total CBD/Container : 0 mg



Total Cannabinoids

Total Cannabinoids/Container : 9.97 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.010	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
mg/ml	0.04	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
3112, 1665, 585, 1440

Weight:
2.1077g

Extraction date:
11/21/25 12:55:00

Extracted by:
3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA061794POT

Instrument Used : DA-LC-007

Analyzed Date : 11/21/25 12:55:28

Dilution : 60

Reagent : 1523.01; 062323.R04; 060723.50; 032123.11; 062323.R02

Consumables : 266969; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Reviewed On : 11/22/25 08:59:07

Batch Date : 11/21/25 10:20:56

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
11/22/25



Certificate of Analysis

PASSED

Medici Flavs LLC

 12052 Central Avenue NE
 Blaine, MN, 55434 US
 Telephone: 7634425108
 Email: prolins@gmail.com

Sample :

DA30627009-004

Batch# : 131

Sampled : 11/19/25

Ordered : 11/19/25

Sample Size Received : 354 ml Total

Amount : 354ml

Completed : 11/22/25 Expires: 11/22/26

Sample Method : SOP Client Method

Page 2 of 5

Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.9517g	11/21/25 14:48:12	450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA061810PES			Reviewed On : 11/22/25 11:51:42		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 11/21/25 10:43:55		
FENHEXAMID	0.01	ppm	3	PASS	ND	Analyzed Date : N/A					
FENOXICARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 062223.R12; 062623.R07; 061423.R23; 062023.R01; 060523.R26; 062123.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.9517g	N/A	450		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (vie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA061812VOL			Reviewed On : 11/21/25 10:46:38		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 11/21/25 10:45:57		
METALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 11/21/25 15:52:14					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 25					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 061423.R23; 040521.11; 061223.R25; 061223.R24					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 6697075-02; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED

Medici Flavs LLC

 12052 Central Avenue NE
 ABlaire MN, 55434, US
 Telephone: 7634425108
 Email: prolins@gmail.com

Sample :

DA30627009-004

Batch# : 131

Sampled : 11/19/25

Ordered : 11/19/25

Sample Size Received : 354 ml Total

Amount : 354 ml

Completed : 11/22/25 Expires: 11/22/26

Sample Method : SOP Client Method

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0239g

 Extraction date:
 11/21/25 12:13:48

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA061822SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 11/21/25 12:15:18

 Reviewed On : 11/22/25 14:14:43
 Batch Date : 11/21/25 13:57:16

 Dilution : 1
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

Medici Flavs LLC

 12052 Central Avenue NE
 Blaine, MN, 55434, US
 Telephone: 7634425108
 Email: prolinsl@gmail.com

Sample :

DA30627009-004

Batch# : 131

Sampled : 11/19/25

Ordered : 11/19/25

Sample Size Received : 354 ml

Total Amount : 354 ml

Completed : 11/21/25 Expires: 11/22/26

Sample Method : SOP Client Method

Page 4 of 5

Microbial PASSED						Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.9517g	Extraction date: N/A	Extracted by: 450,4056		
Analyzed by: 3390, 585, 1440	Weight: 1.052g	Extraction date: 11/21/25 12:12:40	Extracted by: 3702			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 11/22/25 17:46:43			Analytical Batch : DA061811MYC			Reviewed On : 11/22/25 11:21:47		
Analytical Batch : DA061801MIC			Batch Date : 11/21/25 10:34:12			Instrument Used : N/A			Batch Date : 11/21/25 10:45:56		
Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Dilution : 250					
Analyzed Date : 11/21/23 12:14:12						Reagent : 062223.R12; 062623.R07; 061423.R23; 062023.R01; 060523.R26; 062123.R01; 040521.11					
Dilution : N/A						Consumables : 6697075-02					
Reagent : 062323.R18; 092122.01; 092122.09; 050223.39						Pipette : DA-093; DA-094; DA-219					
Consumables : 7562003039						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Pipette : N/A											
Analyzed by: 3390, 585, 1440	Weight: 1.052g	Extraction date: 11/21/25 12:12:40	Extracted by: 3702,3390			Heavy Metals PASSED					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA061819TYM			Reviewed On : 11/22/25 14:24:54								
Instrument Used : Incubator (25-27C)			Batch Date : 11/21/25 13:32:46								
DA-096 Analyzed Date : 11/21/25 15:01:21											
Dilution : 10											
Reagent : 060723.R45; 050223.39											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5						
ARSENIC	0.02	ppm	ND	PASS	1.5						
CADMIUM	0.02	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	3						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440	Weight: 0.2327g	Extraction date: 11/21/25 12:34:55	Extracted by: 1022,3619			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA061803HEA			Reviewed On : 11/22/25 10:50:29			Analytical Batch : DA061803HEA					
Instrument Used : DA-ICPMS-003			Batch Date : 11/21/25 10:36:24			Instrument Used : DA-ICPMS-003					
Analyzed Date : 11/21/25 15:57:49						Analyzed Date : 11/21/25 15:57:49					
Dilution : 50						Dilution : 50					
Reagent : 061523.R17; 062323.R15; 062623.R01; 062323.R13; 062323.R14; 061923.R19; 050923.01; 062223.R16						Reagent : 061523.R17; 062323.R15; 062623.R01; 062323.R13; 062323.R14; 061923.R19; 050923.01; 062223.R16					
Consumables : 179436; 15021042; 210508058						Consumables : 179436; 15021042; 210508058					
Pipette : DA-061; DA-191; DA-216						Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

.....
Grape Drink
mixed
Matrix : Edible
Type: Hemp Edible or Beverage



Certificate of Analysis

PASSED

Medici Flavs LLC

12052 Central Avenue NE
Andover, MN, 55304, US
Telephone: 7634425108
Email: prollinsl@gmail.com

Sample :

DA30627009-004

Batch# : 131

Sampled : 11/19/25

Ordered : 11/19/25

Sample Size Received : 354 ml Total

Amount : 354 ml

Completed : 11/22/25 Expires: 11/22/26

Sample Method : SOP Client Method

Page 5 of 5



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA061855FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 11/21/25 11:42:34

Reviewed On : 11/22/25 14:00:59

Batch Date : 11/21/25 11:33:36

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
11/22/25